



Maintenance Aging Report - Arkansas - North

Regional maintenance aging report for Arkansas - North, listing all hotel items at 14+ days with critical maintenance items first.

05/24/2026 | Produced: 7:51 AM

HOTELS IN
REGION

5

From the contact
workbook

14+ DAY ITEMS

1

Current regional
aging bucket

CRITICAL ITEMS

0

Water, electric,
PTAC, HVAC items
first

OLDEST ITEM

30

Days old in this
region

Executive Summary

Arkansas - North currently has **1** maintenance item(s) at **14+ days** across **1** hotel(s). Critical items are listed first inside each hotel. Leading critical categories in this region are **none**.

Regional Leadership

- **Regional Manager:** Kim Hubanks
- **Regional Maintenance:** Benis Blanco

What Needs Attention Now

- **Jacksonville - Shamrock** has 1 item(s) at 14+ days, oldest at 30 day(s), with 0 critical.

14+ Day Items by Hotel

Conway - Skyline

AR - CS · No items in this aging bucket.

None in this aging bucket.

Jacksonville - Shamrock

AR - JS · 1 item(s), oldest 30 day(s), 0 critical

- **STANDARD** **20186-1** · 30 day(s) old · created 04/24/2026
500 Building - Poor Lighting around 500 building
Priority: Normal · Category: general
-

Jacksonville - Crestview

AR - JC · No items in this aging bucket.

None in this aging bucket.

North Little Rock - Gray

AR - NLRG · No items in this aging bucket.

None in this aging bucket.

Little Rock - Hillcrest

AR - LRH · No items in this aging bucket.

None in this aging bucket.

Recommended Actions

- Clear critical water, electric, PTAC, and HVAC items first before routine backlog work.
- Force same-day ownership on any hotel carrying multiple critical aged items.
- Use this region-specific view to push daily follow-up by hotel until all 14+ day items are closed.