



Maintenance Aging Report - Louisiana

Regional maintenance aging report for Louisiana, listing all hotel items at 14+ days with critical maintenance items first.

06/14/2026 | Produced: 7:51 AM

HOTELS IN
REGION

3

From the contact
workbook

14+ DAY ITEMS

3

Current regional
aging bucket

CRITICAL ITEMS

1

Water, electric,
PTAC, HVAC items
first

OLDEST ITEM

53

Days old in this
region

Executive Summary

Louisiana currently has **3** maintenance item(s) at **14+ days** across **2** hotel(s). Critical items are listed first inside each hotel. Leading critical categories in this region are **ptac/hvac (1)**.

Regional Leadership

- **Regional Manager:** Dawn Widdos
- **Regional Maintenance:**

What Needs Attention Now

- **Baton Rouge - Gwenadele** has 2 item(s) at 14+ days, oldest at 26 day(s), with 1 critical.
- **Baton Rouge - Boardwalk** has 1 item(s) at 14+ days, oldest at 53 day(s), with 0 critical.

14+ Day Items by Hotel

Baton Rouge - Airplane

LA - BRA · No items in this aging bucket.

None in this aging bucket.

Baton Rouge - Gwenadele

LA - BRG · 2 item(s), oldest 26 day(s), 1 critical

- **CRITICAL** **21036-1** · 26 day(s) old · created 05/19/2026
331 fix ptac-missing parts
Priority: Normal · Category: ptac/hvac
- **STANDARD** **21282-1** · 18 day(s) old · created 05/27/2026
218- Ceiling needs drywall repair.
Priority: Normal · Category: general

Baton Rouge - Boardwalk

LA - BRB · 1 item(s), oldest 53 day(s), 0 critical

- **STANDARD** **20100-1** · 53 day(s) old · created 04/22/2026
back parking lot lights not working
Priority: Normal · Category: general

Recommended Actions

- Clear critical water, electric, PTAC, and HVAC items first before routine backlog work.
- Force same-day ownership on any hotel carrying multiple critical aged items.
- Use this region-specific view to push daily follow-up by hotel until all 14+ day items are closed.