



Maintenance Aging Report - Louisiana

Regional maintenance aging report for Louisiana, listing all hotel items at 14+ days with critical maintenance items first.

08/10/2026 | Produced: 7:50 AM

HOTELS IN
REGION

3

From the contact
workbook

14+ DAY ITEMS

2

Current regional
aging bucket

CRITICAL ITEMS

1

Water, electric,
PTAC, HVAC items
first

OLDEST ITEM

26

Days old in this
region

Executive Summary

Louisiana currently has **2** maintenance item(s) at **14+ days** across **2** hotel(s). Critical items are listed first inside each hotel. Leading critical categories in this region are **electric (1)**.

Regional Leadership

- **Regional Manager:** Dawn Widdos
- **Regional Maintenance:** Will Perry

What Needs Attention Now

- **Baton Rouge - Gwenadele** has 1 item(s) at 14+ days, oldest at 19 day(s), with 1 critical.
- **Baton Rouge - Airlane** has 1 item(s) at 14+ days, oldest at 26 day(s), with 0 critical.

14+ Day Items by Hotel

Baton Rouge - Airlane

LA - BRA · 1 item(s), oldest 26 day(s), 0 critical

- **STANDARD** **23158-1** · 26 day(s) old · created 07/15/2026
room 304 fix door frame Willie main reg manager is working on this Airline
Priority: Normal · Category: general
-

Baton Rouge - Gwenadele

LA - BRG · 1 item(s), oldest 19 day(s), 1 critical

- **CRITICAL** **23463-1** · 19 day(s) old · created 07/22/2026
155 guest wants the electrical outlet near tv fixed...update-electrician needed
Priority: Normal · Category: electric
-

Baton Rouge - Boardwalk

LA - BRB · No items in this aging bucket.

None in this aging bucket.

Recommended Actions

- Clear critical water, electric, PTAC, and HVAC items first before routine backlog work.
- Force same-day ownership on any hotel carrying multiple critical aged items.
- Use this region-specific view to push daily follow-up by hotel until all 14+ day items are closed.